Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE

Special Release

Kansas City, Mo., April 14, 1940

HAY AND PASTURE REPORT AS OF MAY 1, 1940.

HAY: The May I condition of tame hay is reported as 80 percent of normal compared with a 10-year average of 78 percent and with 81 percent a year ago. Alfalfa and other tame hays have made very good growth west of the Rocky Mountains, but in most central and eastern States the development of tame hay crops has been retarded by the cold, late spring. Reported May I condition is however, above average in nearly all States north and west of the Ohio and Mississippi Rivers. The situation is less promising farther east where May I condition is generally below the 10-year average. In the eastern Cotton Belt the condition of tame hay on May I is not very significant because much of the hay crop is made from lespedeza, and from cowpeas and other summer legumes.

Stocks of old hay on farms on May 1, 1940, are about 10,865,000 tons, or $5\frac{1}{2}$ million tons less than on May 1, 1939, but nearly 2 million tons more than the 10-year (1929-38) average.

The heavy farm carry-over of old hay on May 1, 1939 and the big 1939 crop provided a large supply of hay last fall, but farm disappearance has been heavy during the winter. Large quantities of hay were used in the East and in much of the Mississippi Valley because of the hard winter and late spring and in the Southwest because of the lack of the usual wheat pasturage. In the Rocky Mountains and For Western States the winter was generally mild and hay feeding was light. The present (May 1) farm stocks of hay are near or above average in most States, but are below average in an area centering in Colorado, Nebraska, Kansas and Oklahoma and another area extending from New England to Kentucky and Tennessee.

PASTURES: With rapid growth of grass west of the Continental Divide offset by delayed development in eastern portions of the country where moisture conditions indicate favorable prospects, farm pastures on May 1 were only about average but showed possibilities for material improvement during the next month. For the country as a whole the condition of pastures averaged 74 percent of normal compared with 76 percent on May 1 a year ago and an average of 74.4 percent for the date during the 10-year period 1929-38. The condition of western ranges averaged 84 percent compared with 78 percent last year and a 10-year average of 80 percent.

During April considerable improvement in pastures was noted in the belt of States extending from Montana and South Dakota southeastward to the Gulf, where pastures a month ago were reported in poor condition. Moisture supplies in these States were much improved by April rains. Lack of moisture, however, is still a limiting factor in western Kansas, south central and southwestern Nebraska, eastern Colorado, the Panhandle territory, southern Texas, and much of New Mexico.

	ALL HAY		TAME HAY			: PASTURE		
: St	ocks on farms	May 1	Cond	ition May	<u> </u>	:Condi	tion May	1
State : Avera	ige :	:	:Average	:		:Average:	:	
	38: 1939	_:_ 1940_	:1929-38	:_ 1939_:	1940	<u>:1929-38:</u>		1940
	Thousand t	on <u>s</u>	-	Percent		оправр	Percent	
Me.]	132		87	83	89	84	78	84
N.H.	47 45	36	88	82	89	84	80	84
Vt.	91 100	0 80	88 .	82	.ii 89	87	79	85
Mass.	56 52	36	87	·85	Tr., 85	84	87	82
R.I.	5	3	 	.85	83	:** : 80	74	7 6
Conn.	46 63	25	86	8 9 ·	- 84	. 7 83	:33	80
	577 660	275	7.9	82	73		79	71
N.J.	52 67	44	81	83 🔩	76.	80	80	70
Pa.	104 527	267	79	84	76	77	81	72
	595	358	7.8	83	81	1, 76	[,] 80	73
	314 604	327	77.	82	81	77 :	81	76
	948	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	76	84	82	76	81	77
	598		7.7	86	80	71	80	70
	1,064		78	82	82	75	81	73
	515 1,232	4 "	74	82	77	70	77	70 .
	155 920		76	80	81	76 .	80	78
	313 656		74	81	77	75.	80	73
ff (w)	206 446	· ·	62	65	68	56	61	63
	206 457		70	63	75	66	63	70
	100 437		77	73	70	73	70	64
A A A A A A A A A A A A A A A A A A A	1 - 1							62
1	.80 361		73	76	74	67	6 9	
Dêl.	10 14		79	87	80	76	84	74
Md.	64 90		77	87	76	75	85	71
	.31 197	•	78	84	76	78	83	69
W.Va.	76 114	· ·	79	79	75	76	75	69
and the second s	.28 237		78	79	76	79	80	72
S.C.	82 127		67	73	6 9	72	76	65
	.01 173		72	77	- 66	77		68
Fla.	13 17		71	72	73	an, £176	75	76
Ку. 2	385	225	79	82	77	78	80	70
Tenn. 2	508	251	77	80	73	78	79	67
Ala.	.24 206	145	69	73	64	77	80	68
Miss. 1	.37 279		71	74	68	70° 07.7	78	69
	.59 220	187	76	78	76	80	80	76
La.	40 36		73	75	78	77	80	79
	.08 216		70	69	.71	68		66
	.44 220		69	67	71	74	: 66	72
Mont, 2	19 303		79	84,	38	71	81	87
	.99 337		86	90 -	94	82		94
	.57 207		85	86	86.	79.	81	84
	32 385		82	89	. 84	70.	83	73
N.Mex.	32 40		81	80	82	63	-86	80
	34 50		89	87		88	86	79
	82 112		84	85	92	79	79	89
The second secon	47 94	8.3	. 82	91	83	82.	, 86	95
	35 209		83	85	94	78	79	94
	60 296	286	. 85	83	94	82	78	95
	8746C		83	82	_ 88_	78	<u>67</u>	
<u>U.S.</u> 9,0		named and the same of the last	78		80	$ -\frac{76}{74}$ $-$	76	$-\frac{92}{74}$
	=_ = =_T.T.	=	'			_ = ' = ' = =		

Distributed by Branch Market News Office, Agricultural Marketing Service, 325 U. S. Court House, Kansas City, Mo., Don E. Rogers, Local Representative.